


BORNIT®



— ROCK SOLID CONNECTIONS



Road markings

Finished markings made of thermoplastics

Road



www.bornit.com





Quality made
in Germany!



BORNIT®

— ROCK SOLID CONNECTIONS

A company rich in traditions, BORNIT-Werk Aschenborn GmbH has unerringly continued on its course of business expansion. Today, the Zwickau based company is present with a complete sales program of chemical construction products for the protection and repair of foundations, facades and roofs, as well as a complete program of road construction products. The company was a successor to the Zwickauer Dachpappen- und Asphaltfabrik (founded in 1868 by Alwin Aschenborn), and has now developed in the family's fifth generation into a medium size industrial company.

After state takeover in 1972 and renaming as the VEB Bitumen-Chemie Zwickau, BORNIT® was one of the first businesses to be reprivatized in 1990. Thanks to extensive investments in new production systems and logistics BORNIT® has become a manufacturer of the latest in chemical construction products. The extensive quality program is largely the result of our own research and development work. A Europe wide sales network forms the basis of competent applications advice and reliable service. One of the most important goals of BORNIT® is to be a reliable partner to its national and international customers. The most convenient geographical location, in the middle of Europe, assures short delivery times, closeness to customers and competent technical advice on site.

Tradition means commitment - since 1868 the mark BORNIT® has stood for the production and sale of chemical construction products of high quality made to protect buildings. This is a tradition which commits us to infusing the market with new ideas based on our own research and development. BORNIT® products are easy to apply in compliance with ecological standards and modern environmental protection.

The BORNIT® program for professionals comprises system solutions for protecting and repairing foundations, facades and roofs, as well as for the new construction and maintenance of road surfaces. A further line offered by BORNIT® comprises tools which permit a more efficient application of the products.

General information on the BORNIT® professional program


Since the working conditions on construction sites and the areas where the products are applied vary considerably we can only give guidelines of a general nature here. These reflect the latest information available.

The statements about quantities required are estimates and depend on the quality of the individual structure, the substrate etc. Test surfaces must be prepared on site to determine the precise quantities needed. In the course of improving our products we reserve the right to modify specifications.

All the data in the current sales catalog are based on the knowledge available at the time of publication. Current information can be found in the German individual specification sheets, safety data sheets and transport regulations which can be ordered for free from BORNIT® or be downloaded at our German website www.bornit.de/de. We reserve the right to modify the packaging so that the product pictures cannot be construed as the basis of a legal claim at the time of delivery. Minor deviations in color related to the raw materials may occur from one batch to another. That is why if you have ordered colored products you should use the same batch number.

We say
THANKS!
for your confidence.





Road

Finished markings made of thermoplastics

Road markings


We love preformed markings and our customers and partners do so. We all together consider old fashioned vertical traffic signs becoming to much and sometimes confusing.

Our preformed thermoplastic lines, arrows, symbols, colored signs and variety of markings are coming to attention by their visibility and clear message, bringing safety and survey to traffic.

Preformed markings from Saxony have an excellent reputation and a great future.

You are welcome to be a part of it!






Standard RAL colours (other colors according to RAL Classic and RAL Design System on request).

Not only public roads but also industrial premises do need BORNIT® thermoplastic signs, symbols and other markings. Especially when time and economic efficiency are of high importance. BORNIT® markings will guide your customers, suppliers and employees over your premises, providing safety and clear orientation.

In 4 steps to the finished mark:

- Clean the area and mark the position for the finished markings.
- At low temperatures (below 5 ° C) we recommend warming up the surface.
- Position the marking elements on the previously marked area.
- The marking elements are melted under constant (circular) movement of the burner.





Road

Finished markings made of thermoplastics

Product		size in mm	Packing Unit
	Marking lines		
	RAL 9016 - traffic white	50 X 1000	60
		100 X 1000	30
		120 X 1000	25
		150 X 1000	20
		200 X 1000	15
		250 X 1000	10
		300 X 1000	10
	400 X 1000	5	
	500 X 1000	5	
	Marking lines		
	(RAL 1023 / RAL 9017)	100 X 1000	30
		250 X 1000	10
	500 X 1000	5	
	Quadrangles		
	RAL 9016 - traffic white	120 X 500	50
		250 X 500	20
		300 X 500	20
	500 X 500	10	
	Triangles		
	RAL 9016 - traffic white	500 X 600	25
	Straight arrow		
	RAL 9016 - traffic white	1000	5
		2500	5
	5000	2	
	Additional arrow to the straight arrow		
	RAL 9016 - traffic white	1000	5
		2500	5
	5000	2	
	Turn arrow (left right)		
	RAL 9016 - traffic white	1000	5
		2500	5
	5000	2	

Product

size in mm

Packing
Unit

Additional arrow to the turn-off arrow (left/right)

RAL 9016 - traffic white	1000	5
	2500	5
	5000	2

Advance notice Arrow (left/right)

RAL 9016 - traffic white	5000	2
	7500	1

Letters, Numbers (RMS)*

RAL 9016 - traffic white	150	
	200	
	300	
	500	
	1000	
	1200	
	1600	
	2500	
	3000	
	4000	
	5000	

Cyclist



Pictogram (RMS)*	500 X 700	5
RAL 9016 - traffic white	800 X 900	5
	1000 X 1300	5
	2000 X 1750	2

Motorcyclist

Pictogram (RMS)*	1000 X 700	5
RAL 9016 - traffic white	1300 X 1000	2

Kids







Pictogram (RMS)*	600 X 800	5
RAL 9016 - traffic white	1520 X 3000	1





Road

Finished markings made of thermoplastics

Product		size in mm	Packing Unit
	Kids (from „VZ“ 136) Pictogram (RMS)* RAL 9016 - traffic white	525 X 1000	5
	Pedestrian (from „VZ“ 239) Pictogram (RMS)* RAL 9016 - traffic white	560 X 750 750 X 1000	5 5
	Parent-child parking Pictogram (RMS)* RAL 9016 - traffic white	1350 X 1000	1
	Pedestrian (from „VZ“ 133) Pictogram (RMS)* RAL 9016 - traffic white	280 X 750 300 X 1000	5 5
	Disabled persons Pictogram (RMS)* RAL 9016 - traffic white	700 X 1000 1400 X 2000	5 1
	Car Pictogram (RMS)* RAL 9016 - traffic white	1500 X 800	1

Product

size in mm

Packing Unit



Car trailer

Pictogram (RMS)*
RAL 9016 - traffic white

1000 X 500

2



Truck

Pictogram (RMS)*
RAL 9016 - traffic white

1300 X 1000

1



Symbols, pictograms and special characters in all sizes and standard colors available.



VZ 101

according to german traffic regulations

1000 X 1000

1

1200 X 2400

1

1500 X 3600

1

2000 X 4000

1



VZ 136

according to german traffic regulations

1000 X 1000

1

1200 X 2400

1

1500 X 3600

1

2000 X 4000

1



Road

Finished markings made of thermoplastics

Product		size in mm	Packing Unit	
	VZ 134	according to german traffic regulations		
			1000 X 1000	1
			1200 X 2400	1
			1500 X 3600	1
	VZ 133	according to german traffic regulations		
			1000 X 1000	1
			1200 X 2400	1
			1500 X 3600	1
	VZ 138	according to german traffic regulations		
			1000 X 1000	1
			1200 X 2400	1
			1500 X 3600	1
	VZ 131	according to german traffic regulations		
			1000 X 1000	1
			1200 X 2400	1
			1500 X 3600	1
	VZ 206	according to german traffic regulations		
			1000 X 1000	1
			1200 X 2000	1


Product	size in mm	Packing Unit
---------	------------	--------------



VZ 205

according to german traffic regulations

1000 X 1000	1
1200 X 2400	1
1500 X 3600	1
2000 X 4000	1



VZ 283-50**

according to german traffic regulations

Ø 500	1
Ø 600	1
Ø 750	1
Ø 1000	1
Ø 1500	1
Ø 2000	1
Ø 3000	1
1000 X 2000	1
2000 X 3000	1
2000 X 4000	1



VZ 255**

according to german traffic regulations

Ø 500	1
Ø 600	1
Ø 750	1
Ø 1000	1
Ø 1500	1
Ø 2000	1
Ø 3000	1
1000 X 2000	1
2000 X 3000	1
2000 X 4000	1



VZ 267**


according to german traffic regulations

Ø 500	1
Ø 600	1
Ø 750	1
Ø 1000	1
Ø 1500	1
Ø 2000	1
Ø 3000	1
1000 X 2000	1
2000 X 3000	1
2000 X 4000	1

**** Round VZ in RAL 9016 traffic white**

according to german traffic regulations: : VZ 283-50, VZ 255, VZ 267, VZ 224-50, VZ 274, VZ 239, VZ 237, VZ 240.

Ø 1000	1
Ø 1500	1
Ø 2000	1



Road

Finished markings made of thermoplastics

Product	size in mm	Packing Unit	
	VZ 224-50**		
	according to german traffic regulations	Ø 500	1
		Ø 600	1
	Round VZ in RAL 9016 traffic white**	Ø 750	1
		Ø 1000	1
		Ø 1500	1
		Ø 2000	1
		Ø 3000	1
		1000 X 2000	1
	2000 X 3000	1	
	2000 X 4000	1	
	VZ 274**		
	according to german traffic regulations	Ø 500	1
		Ø 600	1
	Round VZ in RAL 9016 traffic white**	Ø 750	1
		Ø 1000	1
		Ø 1500	1
		Ø 2000	1
		Ø 3000	1
		1000 X 2000	1
	2000 X 3000	1	
	2000 X 4000	1	
	VZ 239**		
	according to german traffic regulations	Ø 500	1
		Ø 600	1
	Round VZ in RAL 9016 traffic white**	Ø 750	1
		Ø 1000	1
		Ø 1500	1
		Ø 2000	1
		Ø 3000	1
		1000 X 2000	1
	2000 X 3000	1	
	2000 X 4000	1	
	VZ 237**		
	according to german traffic regulations	Ø 500	1
		Ø 600	1
	Round VZ in RAL 9016 traffic white**	Ø 750	1
		Ø 1000	1
		Ø 1500	1
		Ø 2000	1
		Ø 3000	1
		1000 X 2000	1
	2000 X 3000	1	
	2000 X 4000	1	

Product

size in mm

Packing
Unit



VZ 240**

according to german traffic regulations

Ø 500 1

Ø 600 1

Round VZ in RAL 9016 traffic white**

Ø 750 1

Ø 1000 1

Ø 1500 1

Ø 2000 1

Ø 3000 1

1000 X 2000 1

2000 X 3000 1

2000 X 4000 1

****Round VZ in RAL 9016 traffic white**

according to german traffic regulations: VZ 283-50, VZ 255,
VZ 267, VZ 224-50, VZ 274, VZ 239, VZ 237, VZ 240.

Ø 1000 1

Ø 1500 1

Ø 2000 1



VZ 314-50

according to german traffic regulations

600 X 900 1

1000 X 1000 1

1000 X 1200 1

1200 X 2000 1

1200 X 2400 1

2000 X 2000 1

2000 X 3000 1

2500 X 2500 1

2000 X 4000 1



VZ 314

according to german traffic regulations

600 X 900 1

1000 X 1000 1

1000 X 1200 1

1200 X 2000 1


1200 X 2400 1

2000 X 2000 1

2000 X 3000 1





2500 X 2500 1

2000 X 4000 1



Road


Finished markings made of thermoplastics

Product		size in mm	Packing Unit
	VZ 350		
	according to german traffic regulations	600 X 900	1
		1000 X 1000	1
		1000 X 1200	1
		1200 X 2000	1
		1200 X 2400	1
		2000 X 2000	1
		2000 X 3000	1
	VZ 244		
	according to german traffic regulations	600 X 900	1
		1000 X 1000	1
		1000 X 1200	1
		1200 X 2000	1
		1200 X 2400	1
		2000 X 2000	1
		2000 X 3000	1
	VZ 274.1-50		
	according to german traffic regulations	600 X 900	1
		1000 X 1000	1
		1000 X 1200	1
		1200 X 2000	1
		1200 X 2400	1
		2000 X 2000	1
		2000 X 3000	1
	VZ 224-51		
	according to german traffic regulations	600 X 900	1
		1000 X 1000	1
		1000 X 1200	1
		1200 X 2000	1
		1200 X 2400	1
		2000 X 2000	1
		2000 X 3000	1
	2500 X 2500	1	
	2000 X 4000	1	



The processing

Finished markings made of thermoplastics



BORNITTV
Quicklink to the Video

BORNIT®
— ROCK SOLID CONNECTIONS — 15



Info-Point

Everything relating to BORNIT® products and information material

More informationen about BORNIT® products:

· in our sales offices located across the country

You will be helped and advised by our qualified staff. You can ask about the sales advisors in your area by calling our central office at **+49 375 27 95-0**

· on the internet

Become more familiar with our company and obtain all the details about our complete product range on the internet: at **www.bornit.de** or **www.bornit.com**. On our pages you can find up-to-date information about individual products including specification sheets, safety data sheets, EAN codes, article numbers and all contact addresses.

· at social media



· Advice hotline

+49 375 27 95 - 123

You can also reach us by sending an e-mail to:

info@bornit.de

BORNIT®-
Folder



Download link

BORNIT®-
Professional
Building Products



Download link

BORNIT®-
Building Protection
Compass



Download link

BORNIT®-
Road Construction
Compass



Download link



Info-Point

General terms and conditions

1. Applicability of the conditions

- 1.1 The seller's deliveries, services and offers are based exclusively on these terms and conditions. Hence, these terms and conditions also apply to all future business relations, even if they are not explicitly agreed again.
- 1.2 These conditions shall be construed as accepted no later than the acceptance of the good or service. Terms or conditions contained in orders or counter-confirmations received from the buyer and any references to buyer's own general purchasing conditions are here explicitly opposed. Deviations from the seller's general terms and conditions shall only be effective if the deviations are confirmed by the seller in writing.

2. Offer and conclusion of contract

- 2.1 The seller's offers are non-binding and subject to confirmation. Contracts (orders and acceptance) as well as any modifications or additions to them must be in writing. Oral subagreements or oral assurances beyond what is contained in the written contract are ineffective.
- 2.2 Any and all subagreements require seller's written confirmation. The documents integral to an offer, such as technical information sheets, etc., are only applicable if they have been explicitly designated as binding.

3. Price calculation and payment

- 3.1 All prices are exclusive of the legal turnover tax or other public charges. These expenses must be paid by the buyer. The seller reserves the right to modify seller's prices appropriately when, subsequent to the conclusion of the contract, costs change due to labor agreements, price increases from seller's suppliers or fluctuations in the currency exchange rate.
- 3.2 The prices for deliveries and services, if not agreed otherwise, shall be ex factory plus the costs of the packaging necessary for an orderly shipment.
- 3.3 The price calculation is based on the weights, figures and quantities calculated by the seller, unless the purchaser objects without delay.
- 3.4 The buyer can only offset by means of counter-claims which are undisputed or legally binding from the same contractual relationship or due to these claims assert a general lien.
- 3.5 Place of performance for the buyer's payment is the registered office of the seller. Payment must be made without discount and in such a manner that by the date due payment has been received on an account held by the seller.
- 3.6 In case of the buyer delaying payment—including in the course of ongoing business relations - or a fundamental deterioration in buyer's financial situation, the seller can require the buyer to pay or to provide a good-faith deposit. If buyer does not meet this demand, seller has the right, after a reasonable waiting period, to withdraw from the contract or to demand compensation due to non-fulfillment.

4. Passing of risk, shipment and delay in acceptance

- 4.1 Place of performance for all deliveries is the respective point of delivery. At the point of delivery, risk of accidental loss or damage of the goods passes to the buyer.
- 4.2 If there are no special agreements, the seller can select based on seller's own judgment the route, the type of shipment and the means of transport.
- 4.3 The buyer must return, carriage paid, rented containers and rented packagings emptied of any residues within 60 days; loss of or damage to the rented packagings shall be charged to the buyer if the buyer is responsible for them. Rented packagings (containers) must not be used for other purposes or for holding other products. They are solely made for the transport of seller's delivered goods. Labels must not be removed. The seller will not accept back any disposable packaging. Instead, the seller will inform the buyer of a third party who will accept the packaging materials in compliance with the Packaging Directive.
- 4.4 If the buyer delays acceptance, seller can store the remaining deliverable quantities at the risk and cost of the buyer, and charge for them as delivered including any incidental costs. The seller optionally also has the right, after a reasonable waiting period has expired, to withdraw from the contract or to demand compensation due to non-fulfillment.
- 4.5 The seller has the right to make partial delivery.

5. Delay, impossibility, and other contract infringement

- 5.1 In case of non-fulfillment of delivery deadlines, the buyer can set a reasonable delay limit in writing. After this deadline has been past without fulfillment, buyer has the right to withdraw from the contract. The withdrawal must be made in writing.
- 5.2 Seller cannot be held responsible for delivery and performance delays, even in relation to agreed deadlines and dates, due to force majeure or due to events which substantially hamper or render impossible seller's delivery/performance—this also includes material procurement difficulties arising at a later date, operational disruptions, strike, lock-out, raw material or energy shortages, personnel shortages, shortage of means of transportation, official decrees, etc., even if they occur to seller's subsidiaries or their successors. They give seller the right to postpone the delivery or performance for the duration of the obstacle, plus a reasonable period of time for recovery, or, because of portion left unperformed, to withdraw completely or in part from the contract.
- 5.3 In cases of negligence the seller is liable only for the infringement of basic contractual obligations and not for the compensation of typical foreseeable damage, whereby a damage no more than the amount of the net invoice value of the individual faulty delivery shall be replaced.

6. Inspection, processing, warranty and liability

- 6.1 The buyer must immediately—if necessary by applying a sample—test whether the delivered goods are faultless and suitable for their intended use. If buyer fails to test, the seller is released from any warranty or liability. The buyer is aware that goods sold by BORNIT have various use-by dates and areas of application. The buyer commits party ordering to the individual qualities of the goods which are described in detail in the product information sheets.
- 6.2 Objections regarding quality or quantity must be communicated in writing without delay, no later than seven days after receipt of the goods, to the seller specifying the type and extent of the complaint and the invoice and batch number(s) as well as the product name, in the case of less obvious shortcomings, at least eight days after their discovery. If based on the law a longer period is not mandatory or the seller has assumed a warranty, claims of defects shall be barred by the lapse of time after one year. Otherwise, the period set down by the law shall apply. The periods begin on the respective date of delivery/performance.
- 6.3 Binding for the establishment of a defect are control surfaces which are laid in the presence of one representative of the buyer and the seller respectively. Control surfaces on the object shall be especially cordoned off and labeled. About the control surfaces a record shall be prepared and signed by all the participants. If in the course of the warranty period defects in the goods delivered become visible, a joint inspection by the buyer and the seller shall take place. If it should turn out that the control surfaces have remained intact during the warranty period, it shall be found that damages to the remaining surfaces are not due to the quality of the delivered material, so that the warranty shall not apply. If damages occur during the warranty period both to the control surfaces and to the other surfaces, the seller shall carry out all the analyses necessary to describe the nature of the damage and determine the cause of the damage. If these analyses find that the damages are due to a defect in the delivered goods and not to a load which goes beyond the load stated at the time of the acceptance of the warranty, or other influences for which BORNIT-Werk Aschenborn GmbH is not responsible, the buyer has the following rights.
- 6.4 If the object of the contract is defective, the seller shall supply a substitute delivery/performance because of the defect, excluding any other claims. If the buyer is not interested in a substitute delivery perfor-

mance or if the necessary expense of the substitute delivery/performance is out of proportion to the advantage for the buyer, the buyer has the right to demand optionally either a reduction in the remuneration or an annulment of the contract. An annulment of the contract is excluded if the nature of the contractual performance does not permit a withdrawal. The above paragraphs encompass the buyer's rights in case of defects in the objects of the contract and exclude other claims of any other kind. If seller has assumed a warranty for quality, the buyer has legal rights based on the defect.

- 6.5 The seller is liable in accordance with the following provisions for damages—no matter what the legal basis - if the seller, seller's legal representatives, seller's agents or seller's employees have culpably caused them.
- 6.6 Liability towards the buyer is excluded except for damages related to loss of life, personal injury or illness and in cases of intent and gross negligence. This does not apply if the seller has assumed a warranty for the quality of the thing.
- 6.7 Seller's liability is limited to foreseeable damages. The liability for the consequences of defects is excluded based on provision 6.6.

7. Returns

- 7.1 The acceptance of returns of goods delivered free of defects by the seller is excluded. If, as an exception, the seller declares seller's agreement to accept defect-free goods, a credit will only be issued after seller's laboratory has determined their unrestricted reusability. For the costs of the testing, processing, converting and repackaging, the actual costs of at least 20% of the billed amount or at least 30 euros will be subtracted. Such a credit is not paid out in cash but is used as an offset against future deliveries.
- 7.2 If the laboratory test should show that no reuse is possible, the full costs for the orderly disposal of the goods will be charged to the buyer.

8. Technical standards

The buyer is obligated to inform the seller in writing about the technical standards existing in buyer's country related to the delivered product. If the buyer does not do this, buy must release seller from any liability which may arise from this towards third parties, unless seller was aware of the regulations in the buyer's country or was grossly negligent in not knowing them. The binding, technical guidelines which apply are primarily those technical specifications and the safety data sheets available for download any time at www.bornit.de.

9. Broad retention of title

- 9.1 Until all debts have been met which are due the seller on any legal basis now or in the future, the seller is assured the following securities which seller will release on demand according to seller's choice, if the value of the debt persistently rises by more than 20%. The security also extends to the recognized balances, if the seller books debt to the buyer in the current account (current account-qualification).
- 9.2 The goods delivered by seller remain seller's property (reserved title goods). The buyer has the right to process and sell the reserved title goods in orderly business activity. An orderly business transaction in the sense of this condition is not given if during the sales of the buyer or during buyer's other dispositions or actions to the benefit of a third party the assignment of buyer's debt to the third party is excluded. Pledges or security assignments of the reserved title goods are impermissible.
- 9.3 The property purchase of the buyer of the reserved title goods in case of processing or modification is excluded. Processing or modification always occur for the seller, but without any obligations for the seller.
- 9.4 In case of an integration or mixing of the reserved title goods with other movable items in such a manner that they become an integral part of a uniform thing, the seller will become a part-owner of this thing, the owner's share shall be determined by the value ratio of the items at the time of the integration or mixing. However, if the reserved title goods can be identified as the main component, the seller shall acquire the sole ownership. In the case of the integration of the reserved title goods into a structure, the seller shall be assigned any claim of the buyer, as part of an order, to a security pledge from the contractor on the property of contactor's client amounting to the share corresponding to the reserved title goods.
- 9.5 The corresponding debts arising in connection with the resale / reprocessing or some other legal basis in relation to the reserved title goods shall be assigned by the buyer to the seller effective immediately in the amount equivalent to the purchase price of the reserved title goods. The buyer has the authority to collect these debts for the seller. The authority to collect expires if the buyer fails to meet in an orderly manner buyer's payment obligations to the seller. In this case the seller has the right to disclose the third party debtor to the assignment.
- 9.6 The buyer is obligated at buyer's own expense to communicate to the seller without delay the information necessary to assert seller's debts and other claims and to provide the documentary evidence if it is in buyer's possession. The obligation exists correspondingly in case of a judicial foreclosure on things, debts and other rights to assets belonging to the seller; the buyer must inform the seller without delay about the judicial foreclosure; buyer will also inform the execution creditor in writing of the rights of the seller.
- 9.7 If third party debtors make an assignment dependent on the condition that all of the debts owed the buyer from one building contract must be assigned, the buyer, effective immediately, assigns to the seller by way of security the whole of the debt owed buyer. Besides the above obligations related to the communication of information and documentary evidence mentioned above, the buyer is obligated to notify, in writing, third party debtors of the assignment jointly with the seller.

10. Applicable law and venue

- 10.1 All the legal relationships with the seller shall be construed in compliance with the law of the Federal Republic of Germany. The application of the „United Nations Convention on Contracts for the International Sale of Goods“ is excluded.
- 10.2 If not opposed by legally mandatory regulations, the venue agreed shall be the headquarters of the seller, for court actions filed by the seller also the headquarters of the plaintiff.

11. Final provisions

- 11.1 The German language text of these General Terms and Conditions shall rule.
- 11.2 If individual provisions of these General Terms and Conditions are invalid or unenforceable or be excluded by special agreement, the remaining provisions shall remain valid.
- 11.3 The seller stores the data of seller's buyers in the course of seller's mutual business relations in compliance with the German Federal Data Protection Act.

Status: March 2005



„Save the Forest“ - scan the QR-code!




Social Media

Like and share!



News, new products, current topics, product videos, application videos and much more!

www.bornit.com



New!

A strong range for strong pros!

BORNIT[®]
— ROCK SOLID CONNECTIONS



Photography ©Baham Swandpoel



**Professional
Building Products v19**

A strong range for strong pros!

Roof, Wall & Road




www.bornit.com



„Save the Forest“ - scan the QR-code!

BORNIT[®]
— ROCK SOLID CONNECTIONS **19**

BORNIT®



ROCK SOLID CONNECTIONS

copyright © BORNIT® 2019_01 [EN]



Your dealer:

BORNIT-Werk Aschenborn GmbH

Your partner for building and road construction products!
Reichenbacher Straße 117 | 08056 Zwickau

Phone: +49 375 27 95 - 0
Fax: +49 375 27 95 - 150
E-Mail: info@bornit.com
Web: www.bornit.com



www.bornit.com

